

For any information

Industeel France
Châteauneuf plant
118 route des Etaings
F - 42803 RIVE-DE-GIER Cedex
FRANCE

Industeel France
Le Creusot plant
56, rue Clemenceau - BP 19
F - 71201 LE CREUSOT Cedex
FRANCE

Industeel Belgium
Charleroi plant
266 rue de Châtelet
B - 6030 CHARLEROI
BELGIUM

<https://industeel.arcelormittal.com>

With 40 sales offices in 40 different countries around the world, Industeel stands as one of the foremost international steel makers, with an unmatched capacity of support everywhere around the world.




Your sales contact

All information in this brochure is for the purpose of information only.
Industeel reserves the right to change its product range at any time without prior notice.



Industeel

Special steel plates and blocks producer



Industeel is a subsidiary of ArcelorMittal producing special steel hot rolled plates, forged blocks, ingots and formed pieces in **the world's widest dimensional range**.


Specializing in carbon, low alloys, and stainless steels, Industeel offers a complete range of **high quality steel grades** designed to meet the most stringent specifications.

Thanks to its **3 integrated mills** located in Belgium and France, Industeel meets all customer requirements providing the widest dimensional range.

Tailor-made solutions adapted to your projects thanks to a rich metallurgical know-how.



The widest dimensional range of plates



Our expertise

First class producer of high quality mold and tool steels


Careful selection of raw materials to produce **high purity steel** melted by electric arc furnace

Fine tuned secondary metallurgy, vacuum and special degassing processes for **high cleanliness steels** (AOD, VOD).

Thinnest plates produced through a modern **continuous casting** route **equipped with soft reduction process** to minimize the mid-thickness segregation
 Heaviest plates produced through **ingot casting, hot rolling and hot forging** to offer very thick materials while guaranteeing very low segregation rates

Automatic quenching devices and high precision tempering furnaces create a **homogeneous hardness and microstructure** through the cross section

100% inspection of internal soundness by UT examination and hardness control





A complete offer for mold and tool steels

Choose the best solution

- Standard grades
- Trademark grades
- Tailor-made grades

A dedicated research center

- High level technical support
- From steel manufacturing to end-user properties



Moulds cores and cavities

- Standard 2311, 2738, 2738HH, 2767, 2714, 2343
- Trademark Superplast® (SP300, SP350, SP400)
- Trademark Isotrop

Mould bases and hot runners

- Standard 2312, AISI 4140

GRADE	HARDNESS CONSISTENCY	MACHINABILITY	TEXTURING	REAR WELDABILITY	THERMAL CONDUCTIVITY
Superplast® 300	★★★	★★★★	★★★	★★★	★★★★
Superplast® 350	★★★	★★★	★★★	★★★	★★★★
Superplast® Premium	★★★★	★★★★	★★★★	★★★★	★★★★
W 1.2738	★★	★★★	★★	★★	★
W 1.2311	★	★★	★★	★	★
Superplast® 400	★★★	★★★	★★★	★★★	★★★★
W 1.2714	★	★★	★★	★	★
W 1.2343	★★	★★	★★	★★★	★




Stainless cores, cavities and extrusion dies

- Standard 2083, 2316

Mold bases and support plates

- Standard 2085
- Trademark Superplast Stainless (2099)

GRADE	HARDNESS CONSISTENCY	MACHINABILITY	TEXTURING	REAR WELDABILITY	THERMAL CONDUCTIVITY
Superplast® Stainless	★★★	★★★	★★★	★★★★	★★★★
W1.2085	★★	★★	★	★★	★★
W1.2083	★★	★	★★	★★	★★
W 1.2316	★★	★	★★★★	★★	★★



Hot work tool steels

- Standard 2343, 2343EFS, 2714, 2347, 2344
- Trademark Isotrop

Cold-work tool steels

- Standard 2379, A2
- Trademark Tenasteel

GERMAN STANDARD	AMERICAN STANDARD	WEAR RESISTANCE	TOUGHNESS
W1.2363	A2	★★★	★★★★
W1.2379	D2	★★★★	★★
-	S7	★	★★★
W1.2510	O1	★★	★★★★
Tenasteel®		★★★★	★★★

Providing on-field technical assistance to help our customers in the use of our steel solutions

An integrated welding workshop with an expertise in welding metallurgy and welding processes

Cooperation with research institutes and organizations on processing operations machining, texturing, surface treatment

One R&D department is fully dedicated to the development and optimization of forging and heat treatment processes

Edition of Superplast® / Tenasteel® userguides with all technical informations and advices about the use of our trademark grades

MOLD STEELS

INDUSTEEL	DIN	W.Nr	AISI	CHEMICAL COMPOSITION IN %							DELIVERY CONDITION		MANUFACTURING PROGRAMME		USAGE
				C	Ni	Cr	Mo	Mn	Others	Hardness HB	Hardness HRC	Thickness range mm	Width mm		
Superplast® 300		1.2738 mod	P20 mod	0.26	0.30	1.40	0.45	1.4	B	290-330	30-35	15-1050	1000-2500	Mechanical Engineering Cores and cavities with high requirements in homogeneity, surface finish, machining.	
Superplast® 350		1.2738 mod HH	P20 mod HH	0.26	0.30	1.60	0.65	1.5	B	330-360	35-39	15-1050	1000-2500		
Superplast® Premium				0.26	+	1.60 - 2.00	0.65	1.3	B	290-380	30-42	200-610	1000-2100		
2738	40 CrMnNiMo 8-6-4	1.2738	P20 + Ni	0.40	1.00	1.90	0.20	1.5		280-325	29-34	7-900	1000-2500		
2311	40 CrMnMo 7	1.2311	P20	0.40	-	1.90	0.20	-		280-325	29-34	7-710	1000-2500		
Superplast® 400				0.25	0.75	2.00	0.60	1.15	B,V	350-380	38-42	15-610	1000-2500		
2714	55 NiCrMoV 7	1.2714	L6	0.55	1.70	1.10	0.50	0.9	V	360-400	39-43	8-120	1000-2500		
2343	X 38 Cr-Mo V 5.1	1.2343	H11	0.39	-	5.15	1.25	-	-	<230	-	15-350	1000-2100		
2767	X45 NiCrMo4	1.2767	6F7	0.45	3.90	1.30	-	-	-	260	26.5	15-160	1000-3000		
4130	30CrMo 4	1.7218	4130	0.30	-	1.00	0.16	-		258-302	26-32	8-135	1000-3500		Cores and cavities with basic requirements
4140	42 CrMo 4	1.7225	4140	0.41	-	1.00	0.20	0.06	V		26-32	7-135	1000-3500		
2312	40 CrMnMoS 8-6	1.2312	P-20+S	0.40	-	1.90	0.20	1.5	S:0.06	280-325	29-34	7-610	1000-2500		
2714+S	55 NiCrMoV 7			0.55	1.70	1.10	0.50	0.9	V,5.0.07	360-400	39-43	8-150	1000-2500		
Superplast® Stainless				0.07	0.50	12.00	-	1.4	S:0.12	290-330	30-35	15-350	1000-2000		
2085	x 33 CrS 16	1.2085	420F mod	0.33	-	16.00	-	1.1	S:0.07	280-325	29-34	11-350	1000-3500	Corrosion-resistant holders and support plates	
2316	x 36 CrMo 17	1.2316		0.40	-	16.00	1.03	0.9		280-325	29-34	15-185	1000-3500	Stainless cores and cavities	
2083	x 42 Cr 13	1.2083	420	0.40	-	13.00	-	0.6		280-310	29-33	15-140	1000-3500		

MOULDS CORES & CAVITIES

MOULDS BASES & HOT RUNNERS

COROSION-RESISTANT MOULDS

TOOL STEELS

INDUSTEEL	DIN	W.Nr	AISI	JIS	CHEMICAL COMPOSITION IN %							DELIVERY CONDITION		MANUFACTURING PROGRAMME		USAGE
					C	S	Ni	Cr	Mo	V	Other	Hardness HB	Thickness range mm	Width mm		
2510	100 Mn Cr W 4	1.2510	O1	-	0.90	0.001	-	0.55	-	0.10	W	<212	15-110	1000-3000	COLD WORK TOOL STEELS	
2842	90 Mn Cr V 8	1.2842	O2	-	0.90	0.001	-	0.55	-	0.10	-	<210	15-110	1000-3000		
2355	50CrMoV1 3-15	1.2355	S 7	-	0.50	0.001	-	3.25	1.35	0.20	-	<225	10-200	1000-2600		
2363	X 100CrMo V5.1	1.2363	A 2	SKD12	1.00	0.001	-	5.20	0.95	0.20	-	<240	10-120	1000-2600		
2379	X 153CrMo V12	1.2379	D 2	SKD 11	1.55	0.001	-	11.75	0.75	0.75	-	<255	15-100	1000-2000		
Tenasteel®					1.00	0.001	-	7.50	2.60	0.30	Ti	<255	8-75	500-2100		
																High toughness, low to medium wear resistance for shear blades and stamping tools (mild steels and medium thicknesses)
																High wear resistance with limited toughness and chipping resistance. Shear blades, stamping processing of tools (except high strength steels)
																Combining high wear and high chipping resistance. Stamping tools, shear knives to process high strength steels and high thicknesses
2767	X 45 Ni Cr Mo 4	1.2767	-	-	0.45	0.001	3.90	1.30	-	-	-	<260	15-350	1000-3000	HOT WORK TOOL STEELS	
2343	X 38 Cr Mo V 5.1	1.2343	H 11	SKD 6	0.39	0.001	-	5.15	1.25	0.35	-	<230	15-350	1000-2100		
2344	X 40 Cr Mo V 5	1.2344	H 13	-	0.40	0.001	-	5.10	1.35	1.1	-	<250	15-350	1000-2100		
2347		1.2347	-	-	0.40	0.10	-	5.25	1.40	0.95	Si: 1	350 - 385	13-75	2000		
2714	55 Ni Cr Mo V 7	1.2714	-	SKT4	0.55	0.001	1.70	1.10	0.50	0.10	-	360-400	15-120	1000-2000		
MX01					0.19	0.001	1.00	2.00	0.80	0.20	B	360-400	200-500	2000		

HOT WORK TOOL STEELS